



PAPILLOMAVIRUS




Image generated by artificial intelligence

CANCER

VULVA AND VAGINA



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



ULTRA RISKY

Lesions in the vulva or vagina, if not treated in time, can develop into cancer. These lesions are caused by HPV, a very common virus that lives on the skin and in mucous membranes. About 20% of vulvar and vaginal cancers are linked to HPV.



SUPER DISCREET

There is no screening test to detect these lesions.

The enemies
of this cancer

Vaccination ⚡⚡⚡



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!

CHOOSE VACCINATION



PAPILLOMAVIRUS

RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26

THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses, and at school for students aged 11 and up .





PAPILLOMAVIRUS



Image generated by artificial intelligence

RECURRENT RESPIRATORY PAPILLOMATOSIS



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



ULTRA EVOLUTION

This is a rare disease with no available treatment. It can cause serious breathing problem in young children. Repeated surgeries and illness itself may damage the voice. In some cases, the disease can spread to the lungs and may even lead to cancer.

The enemies
of this disease

Vaccination
Monitoring



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!


TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26

THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses, and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER

CERVIX



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA VIEWFINDER

Almost 100% of cervical cancer cases are caused by HPV.



ULTRA MONITORED

It is the only HPV-related cancer for which there is a national screening program.

The enemies
of this cancer

Vaccination
Screening



 During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS


Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER ANUS



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA IMPACT

Cases of anal cancer are rising with about 2,000 new cases each year in France. Nearly 90% are linked to HPV.



MEGA IGNORED

There is no routine screening and the disease can affect both the inside and outside of the anus. If you notice symptoms such as lumps, swelling, heaviness, bleeding, pain or itching, consult a specialist doctor (proctologist).

The enemies
of this cancer

Vaccination



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

**CANCER
MOUTH AND
THROAT**



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA DISCREET

Lesions are not detectable before the cancer is diagnosed. In fact, diagnosis usually occurs at an advanced stage.



ULTRA PRESENT

The number of these cancers is constantly increasing, particularly among younger people.

The enemies
of this cancer

Vaccination



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!




CHOOSE VACCINATION



PAPILLOMAVIRUS

RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER PENIS



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MULTI RISKS

Most penile cancers are caused by HPV, but this type of cancer is still rare.

The enemies
of this cancer

Vaccination



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!

CHOOSE VACCINATION



PAPILLOMAVIRUS

RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

GENITAL AND ANAL WARTS



MAXI EXPOSURE

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



HIGHLY CONTAGIOUS

Genital warts, or condylomas, are highly contagious lesions, even through simple skin-to-skin contact. They are even more contagious in the case of micro-injuries (hair removal, shaving, etc.). These warts are not always visible to the naked eye.



MAXI REPEAT OFFENDER

Recurrences are common, so regular monitoring is necessary.

The enemies of
genital warts

Vaccination ⚡⚡⚡⚡



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!

CHOOSE VACCINATION



PAPILLOMAVIRUS

RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.



VACCINE

Image generated by artificial intelligence



ULTRA BLOCKING

The vaccine protects against HPV infections that cause genital warts, precancerous changes, and several types of cancers.



ULTRA ACCESSIBLE

Prescription and administration may be carried out by physicians, pharmacists, midwives, and nurses.



MAXI SAFE

The HPV vaccine has been available for over 10 years. Thanks to vaccination and screening, Australia has almost eradicated cervical cancer!



The enemies
of this cancer

Vaccine hesitancy

Common misconceptions



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED AND REIMBURSED FROM AGE 11 TO 26
THE SOONER THE BETTER, BUT IT'S NEVER TOO LATE.

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.

